



Certificate of Analysis

FOR COMPLIANCE

Sample:AL40208004-004
Harvest/Lot ID: E-KC-D-02-0224
Batch#: E-KC-D-02-0224
Seed to Sale# NA
Sample Size Received: 20 units
Total Amount: 9300 units
Retail Product Size: 39 gram
Sampled: 02/08/24 02:30 PM
Sampling Start: 02:30 PM
Sampling End: 03:05 PM
Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 6

Cirona Labs

License # : OCM-AUCP-22-000002
350 Buell Road
Rochester, NY, 14624, US


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
NOT TESTED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.2636%

Total THC/Container : 102.804 mg



Total CBD
<0.0007

Total CBD/Container : 0.000 mg



Total Cannabinoids
0.2717%

Total Cannabinoids/Container : 105.963 mg

| | (6AR,9R) D10-THC | (6AR,9S) D10-THC | CBC | CBD | CBDA | CBDV | CBG | CBGA | CBN | D8-THC | D9-THC | THCA | THCV |
|---------|---------------------|---------------------|--------|---------|---------|---------|--------|---------|--------|---------|---------|--------|--------|
| % | <0.0006 | <0.0007 | 0.0020 | <0.0007 | <0.0007 | <0.0007 | 0.0032 | <0.0007 | 0.0009 | <0.0007 | 0.2622 | 0.0016 | 0.0018 |
| mg/unit | <0.234 | <0.273 | 0.780 | <0.273 | <0.273 | <0.273 | 1.248 | <0.273 | 0.351 | <0.273 | 102.258 | 0.624 | 0.702 |
| LOQ | 0.0006 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 | 0.0007 |
| | % | % | % | % | % | % | % | % | % | % | % | % | % |

Weight:
3.0638g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 02/12/24 13:56:06

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
02/13/24



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-AUCP-22-000002

Sample : AL40208004-004

Harvest/Lot ID: E-KC-D-02-0224

Batch# : E-KC-D-02-0224

Sampled : 02/08/24 02:30 PM

Sample Size Received : 20 units

Total Amount : 9300 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOQ (%) | mg/unit | % | Result (%) | Terpenes | LOQ (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|-----------------|--|---------|---------|---|------------|
| FARNESENE | 0.10 | <39.0 | <0.10 | | Weight: | | | | |
| ALPHA TERPINEOL | 0.00 | <1.6 | <0.00 | | 1.1819g | | | | |
| BETA-CARYOPHYLLENE | 0.00 | <1.6 | <0.00 | | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY | | | | |
| CAMPHENE | 0.00 | <1.6 | <0.00 | | Analyzed Date : 02/09/24 15:43:50 | | | | |
| CARYOPHYLLENE OXIDE | 0.00 | <1.6 | <0.00 | | | | | | |
| FENCHYL ALCOHOL | 0.00 | <1.6 | <0.00 | | | | | | |
| GERANIOL | 0.00 | <1.6 | <0.00 | | | | | | |
| GUAIOL | 0.00 | <1.6 | <0.00 | | | | | | |
| LIMONENE | 0.00 | <1.6 | <0.00 | | | | | | |
| LINALOOL | 0.00 | <1.6 | <0.00 | | | | | | |
| MENTHOL | 0.00 | <1.6 | <0.00 | | | | | | |
| OCIMENE | 0.00 | <1.6 | <0.00 | | | | | | |
| TERPINOLENE | 0.00 | <1.6 | <0.00 | | | | | | |
| VALENCENE | 0.00 | <1.6 | <0.00 | | | | | | |
| ALPHA-BISABOLOL | 0.00 | <1.6 | <0.00 | | | | | | |
| ALPHA-HUMULENE | 0.00 | <1.6 | <0.00 | | | | | | |
| ALPHA-PHELLANDRENE | 0.00 | <1.6 | <0.00 | | | | | | |
| ALPHA-PINENE | 0.00 | <1.6 | <0.00 | | | | | | |
| ALPHA-TERPINENE | 0.00 | <1.6 | <0.00 | | | | | | |
| BETA-MYRCENE | 0.00 | <1.6 | <0.00 | | | | | | |
| BETA-PINENE | 0.00 | <1.6 | <0.00 | | | | | | |
| Total (%) | | | | <0.10 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
02/13/24



Certificate of Analysis

PASSED

Cirona Labs

 350 Buell Road
 Rochester, NY, 14624, US
 Telephone: (305) 498-3066
 Email: hunter@cironalabs.com
 License # : OCM-AUCP-22-000002

Sample : AL40208004-004

Harvest/Lot ID: E-KC-D-02-0224

Batch # : E-KC-D-02-0224 Sample Size Received : 20 units

Sampled : 02/08/24 02:30 PM Total Amount : 9300 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOQ | Units | Action Level | Pass/Fail | Result | Pesticide | LOQ | Units | Action Level | Pass/Fail | Result |
|-----------------------|-----|-------|--------------|-----------|--------|---|-----|-------|--------------|-----------|--------|
| PYRETHRINS, TOTAL | 0.1 | ppm | 1 | PASS | <0.1 | PACLOBUTRAZOL | 0.1 | ppm | 0.4 | PASS | <0.1 |
| AZADIRACTHIN | 0.1 | ppm | 1 | PASS | <0.1 | PERMETHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| INDOLE-3-BUTYRIC ACID | 0.1 | ppm | 1 | PASS | <0.1 | PHOSMET | 0.1 | ppm | 0.2 | PASS | <0.1 |
| MYCLOBUTANIL | 0.1 | ppm | 0.2 | PASS | <0.1 | PRALLETHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| PIPERONYL BUTOXIDE | 0.1 | ppm | 2 | PASS | <0.1 | PROPICONAZOLE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| ABAMECTIN B1A | 0.1 | ppm | 0.5 | PASS | <0.1 | PROPOXUR | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ACEPHATE | 0.1 | ppm | 0.4 | PASS | <0.1 | PYRIDABEN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ACEQUINOCYL | 0.1 | ppm | 2 | PASS | <0.1 | SPINETORAM, TOTAL | 0.1 | ppm | 1 | PASS | <0.1 |
| ACETAMIPRID | 0.1 | ppm | 0.2 | PASS | <0.1 | SPINOSAD, TOTAL | 0.1 | ppm | 0.2 | PASS | <0.1 |
| ALDICARB | 0.1 | ppm | 0.4 | PASS | <0.1 | SPIROMESIFEN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| AZOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | <0.1 | SPIROTETRAMAT | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CHLORMEQUAT CHLORIDE | 0.1 | ppm | 1 | PASS | <0.1 | SPIROXAMINE | 0.1 | ppm | 0.2 | PASS | <0.1 |
| BIFENAZATE | 0.1 | ppm | 0.2 | PASS | <0.1 | TEBUCONAZOLE | 0.1 | ppm | 0.4 | PASS | <0.1 |
| BIFENTHRIN | 0.1 | ppm | 0.2 | PASS | <0.1 | THIACLOPRID | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CARBARYL | 0.1 | ppm | 0.2 | PASS | <0.1 | THIAMETHOXAM | 0.1 | ppm | 0.2 | PASS | <0.1 |
| COUMAPHOS | 0.1 | ppm | 1 | PASS | <0.1 | TRIFLOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | <0.1 |
| CHLORPYRIFOS | 0.1 | ppm | 0.2 | PASS | <0.1 | CAPTAN * | 0.1 | ppm | 1 | PASS | <0.1 |
| DAMINOZIDE | 0.1 | ppm | 1 | PASS | <0.1 | CHLORDANE * | 0.1 | ppm | 1 | PASS | <0.1 |
| BOSCALID | 0.1 | ppm | 0.4 | PASS | <0.1 | CHLORFENAPYR * | 0.1 | ppm | 1 | PASS | <0.1 |
| CARBOFURAN | 0.1 | ppm | 0.2 | PASS | <0.1 | CYFLUTHRIN * | 0.1 | ppm | 1 | PASS | <0.1 |
| CHLORANTRANILIPROLE | 0.1 | ppm | 0.2 | PASS | <0.1 | CYPERMETHRIN * | 0.1 | ppm | 1 | PASS | <0.1 |
| CLOFENTEZINE | 0.1 | ppm | 0.2 | PASS | <0.1 | METHYL PARATHION * | 0.1 | ppm | 0.2 | PASS | <0.1 |
| DIAZINON | 0.1 | ppm | 0.2 | PASS | <0.1 | MGK-264 * | 0.1 | ppm | 0.2 | PASS | <0.1 |
| DICHLORVOS | 0.1 | ppm | 1 | PASS | <0.1 | PENTACHLORONITROBENZENE * | 0.1 | ppm | 1 | PASS | <0.1 |
| DIMETHOATE | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| DIMETHOMORPH | 0.1 | ppm | 1 | PASS | <0.1 | Weight: | | | | | |
| ETHOPROPHOS | 0.1 | ppm | 0.2 | PASS | <0.1 | 0.4522g | | | | | |
| ETOFENPROX | 0.1 | ppm | 0.4 | PASS | <0.1 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY | | | | | |
| ETOXAZOLE | 0.1 | ppm | 0.2 | PASS | <0.1 | Analyzed Date : 02/12/24 12:10:22 | | | | | |
| FENHEXAMID | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |
| FENOXYCARB | 0.1 | ppm | 0.2 | PASS | <0.1 | Weight: | | | | | |
| FENPYROXIMATE | 0.1 | ppm | 0.4 | PASS | <0.1 | 0.4522g | | | | | |
| FIPRONIL | 0.1 | ppm | 0.4 | PASS | <0.1 | Analysis Method : SOP.T.40.154.NY | | | | | |
| FLONICAMID | 0.1 | ppm | 1 | PASS | <0.1 | Analyzed Date : 02/12/24 12:10:59 | | | | | |
| FLUDIOXONIL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| HEXYTHIAZOX | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |
| IMAZALIL | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| IMIDACLOPRID | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| KRESOXIM METHYL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| MALATHION | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| METALAXYL | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| METHIOCARB | 0.1 | ppm | 0.2 | PASS | <0.1 | | | | | | |
| METHOMYL | 0.1 | ppm | 0.4 | PASS | <0.1 | | | | | | |
| MEVINPHOS | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |
| NALED | 0.1 | ppm | 0.5 | PASS | <0.1 | | | | | | |
| OXAMYL | 0.1 | ppm | 1 | PASS | <0.1 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

 NY Permit # OCM-CPL-2022-00006
 ISO 17025 Accreditation # 97164

 Signature
 02/13/24



Certificate of Analysis


PASSED
Cirona Labs

 350 Buell Road
 Rochester, NY, 14624, US
 Telephone: (305) 498-3066
 Email: hunter@cironalabs.com
 License #: OCM-AUCP-22-000002

 Sample : AL40208004-004
 Harvest/Lot ID: E-KC-D-02-0224

 Batch#: E-KC-D-02-0224 Sample Size Received : 20 units
 Sampled : 02/08/24 02:30 PM Total Amount : 9300 units
 Sampling Method : SOP.T.20.010.NY

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOQ | Units | Action Level | Pass/Fail | Result |
|-----------------------|--------|-------|--------------|-----------|---------|
| DIMETHYL SULFOXIDE | 750.0 | ppm | 5000 | PASS | <750.0 |
| 1,1,1-TRICHLOROETHANE | 225.0 | ppm | 1500 | PASS | <225.0 |
| HEXANE, TOTAL | 625.0 | ppm | 290 | PASS | <625.0 |
| PENTANES, TOTAL | 375.0 | ppm | 5000 | PASS | <375.0 |
| BUTANES, TOTAL | 1800.0 | ppm | 5000 | PASS | <1800.0 |
| XYLENES, TOTAL | 250.0 | ppm | 2170 | PASS | <250.0 |
| 1,2-DICHLOROETHANE | 0.5 | ppm | 5 | PASS | <0.5 |
| PROPANE | 900.0 | ppm | 5000 | PASS | <900.0 |
| METHANOL | 125.0 | ppm | 3000 | PASS | <125.0 |
| ETHANOL | 125.0 | ppm | 5000 | PASS | 177.6 |
| ETHYL ETHER | 125.0 | ppm | 5000 | PASS | <125.0 |
| ACETONE | 125.0 | ppm | 5000 | PASS | <125.0 |
| 2-PROPANOL | 125.0 | ppm | 5000 | PASS | <125.0 |
| ACETONITRILE | 125.0 | ppm | 410 | PASS | <125.0 |
| DICHLOROMETHANE | 125.0 | ppm | 600 | PASS | <125.0 |
| ETHYL ACETATE | 125.0 | ppm | 5000 | PASS | <125.0 |
| BENZENE | 0.5 | ppm | 2 | PASS | <0.5 |
| N-HEPTANE | 125.0 | ppm | 5000 | PASS | <125.0 |
| TOLUENE | 125.0 | ppm | 890 | PASS | <125.0 |
| CHLOROFORM | 0.5 | ppm | 60 | PASS | <0.5 |

 Weight:
 0.02756g

 Analysis Method : SOP.T.40.044.NY
 Analyzed Date : 02/09/24 15:55:39





Certificate of Analysis


PASSED
Cirona Labs

 350 Buell Road
 Rochester, NY, 14624, US
 Telephone: (305) 498-3066
 Email: hunter@cironalabs.com
 License # : OCM-AUCP-22-000002

Sample : AL40208004-004
Harvest/Lot ID: E-KC-D-02-0224
Batch# : E-KC-D-02-0224
Sampled : 02/08/24 02:30 PM
Sample Size Received : 20 units
Total Amount : 9300 units
Sampling Method : SOP.T.20.010.NY

Page 5 of 6

|  Microbial PASSED | | | | | |  Mycotoxins PASSED | | | | | |
|---|-----|-------|-------------|-------------|--------------|--|-------|-------|--------|-------------|--------------|
| Analyte | LOQ | Units | Result | Pass / Fail | Action Level | Analyte | LOQ | Units | Result | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA | 100 | CFU/g | <100 | PASS | 10000 | AFLATOXIN G2 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| TOTAL YEAST AND MOLD | 100 | CFU/g | <100 | PASS | 1000 | AFLATOXIN G1 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ESCHERICHIA COLI SHIGELLA SPP | | | Not Present | PASS | | AFLATOXIN B2 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| SALMONELLA SPECIES | | | Not Present | PASS | | AFLATOXIN B1 | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | OCHRATOXIN A+ | 0.010 | ppm | <0.010 | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | TOTAL AFLATOXINS (B1, B2, G1, G2) | 0.003 | ppm | <0.003 | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | | | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | | | | | |
| Weight: 1.021g | | | | | | Weight: 0.4522g | | | | | |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY Analyzed Date : 02/09/24 09:49:42 | | | | | | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 02/12/24 12:10:57 | | | | | |

|  Heavy Metals PASSED | | | | | |
|--|--------|-------|---------|-------------|--------------|
| Metal | LOQ | Units | Result | Pass / Fail | Action Level |
| ANTIMONY | 0.1000 | ug/g | <0.1000 | PASS | 120 |
| ARSENIC | 0.1000 | ug/g | <0.1000 | PASS | 1.5 |
| CADMIUM | 0.1000 | ug/g | <0.1000 | PASS | 0.5 |
| CHROMIUM | 1.0000 | ug/g | <1.0000 | PASS | 1100 |
| COPPER | 1.0000 | ug/g | <1.0000 | PASS | 300 |
| LEAD | 0.1000 | ug/g | <0.1000 | PASS | 0.5 |
| MERCURY | 0.0100 | ug/g | <0.0100 | PASS | 3 |
| NICKEL | 0.1000 | ug/g | <0.1000 | PASS | 20 |
| Weight: 0.496g | | | | | |
| Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 02/09/24 16:06:58 | | | | | |



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

E-KC-D-02-0224
Matrix : Edible
Type: Gummy



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-AUCP-22-000002

Sample : AL40208004-004
Harvest/Lot ID: E-KC-D-02-0224

Batch# : E-KC-D-02-0224 Sample Size Received : 20 units
Sampled : 02/08/24 02:30 PM Total Amount : 9300 units
Sampling Method : SOP.T.20.010.NY

Page 6 of 6

| | | |
|--|-----------------------|---------------|
| | Water Activity | PASSED |
|--|-----------------------|---------------|

| Analyte | LOQ | Units | Result | P/F | Action Level |
|-----------------------------------|------|-------|--------|------|--------------|
| Water Activity | 0.10 | aw | 0.65 | PASS | 0.85 |
| Weight: 0.8604g | | | | | |
| Analysis Method : SOP.T.40.019 | | | | | |
| Analyzed Date : 02/13/24 09:39:20 | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
02/13/24