

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	10/8/2024	Sample ID:	20241003-CRNA-004
Client Name:	Hemp Hunter Labs Inc. dba Cirona Labs	Sample Name:	E-KC-MKCB-01-1024
Sampling Location:	Rochester, New York	Sample Matrix:	Edible
Contact Name:	Tyler Bast	Sample Sub Type:	Chocolate
Contact Email:	tyler@cironalabs.com	Package ID:	
License Number:	OCM-PROC-24-000051	Batch Lot ID:	E-KC-MKCB-01-1024
Medical/Adult Use:	Adult Use	Batch Size:	2000
Sampling Date:	10/03/2024 01:00:00 PM	Serving Size (g):	2.7

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	-	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: E-KC-MKCB-01-1024 (20241003-CRNA-004)			
Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.011
CBDA	< MRL	< MRL	0.011
CBGA	< MRL	< MRL	0.011
CBG	< MRL	< MRL	0.011
CBD	< MRL	< MRL	0.011
THCV	< MRL	< MRL	0.011
CBN	< MRL	< MRL	0.011
D9-THC	0.186	5.022	0.011
D8-THC	< MRL	< MRL	0.011
D10-THC-S	< MRL	< MRL	0.011
D10-THC-R	< MRL	< MRL	0.011
CBC	< MRL	< MRL	0.011
THCA	< MRL	< MRL	0.011

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #77339 | Date Tested: 10/05/2024 12:29 PM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta^8\text{-THC} + \Delta^9\text{-THC} + \Delta^{10}\text{-THC} + (\text{THCA} * 0.877)$]	0.186	5.022
Total CBD [$\text{CBD} + (\text{CBDA} * 0.877)$]	< MRL	< MRL
Total Cannabinoids	0.186	5.022



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: E-KC-MKCB-01-1024 (20241003-CRNA-004)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.01
Camphene	< MRL	0.01
Sabinene	< MRL	0.01
beta-Pinene	< MRL	0.01
beta-Myrcene	< MRL	0.01
Alpha-phellandrene	< MRL	0.01
Carene	< MRL	0.01
alpha-terpinene	< MRL	0.01
p-Cymene	< MRL	0.01
Limonene	< MRL	0.01
Eucalyptol	< MRL	0.01
Ocimene	< MRL	0.01
gamma-Terpinene	< MRL	0.01
Sabinene Hydrate	< MRL	0.01
Terpinolene	< MRL	0.01
Linalool	< MRL	0.01
Fenchol	< MRL	0.01
Menthol	< MRL	0.01
Terpineol	< MRL	0.01
Citronellol	< MRL	0.01
Isopulegol	< MRL	0.01
Geraniol	< MRL	0.01
Alpha-cedrene	< MRL	0.01
Beta-Caryophyllene	< MRL	0.01
Farnesene	< MRL	0.01
alpha-Humulene	< MRL	0.01
Valencene	< MRL	0.01
cis-Nerolidol	< MRL	0.01
trans-Nerolidol	< MRL	0.01
Caryophyllene oxide	< MRL	0.01
Guaiol	< MRL	0.01
alpha-Bisabolol	< MRL	0.01

MRL = Minimum reporting limit/limit of quantification

Test ID: #77345 | Date Tested: 10/07/2024 01:39 PM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	< MRL	10	PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: E-KC-MKCB-01-1024 (20241003-CRNA-004)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	0.227
2-Propanol	PASS	< MRL	5000	33.991
Acetone	PASS	< MRL	5000	6.798
Acetonitrile	PASS	< MRL	410	2.787
Butanes, total	PASS	< MRL	5000	33.991
Benzene	PASS	< MRL	2	0.045
Chloroform	PASS	< MRL	60	0.408
Dichloromethane	PASS	< MRL	600	4.079
Dimethyl Sulfoxide	PASS	< MRL	5000	61.185
Ethanol	PASS	< MRL	5000	33.991
Ethyl acetate	PASS	< MRL	5000	33.991
Ethyl ether	PASS	< MRL	5000	33.991
n-Heptane	PASS	< MRL	5000	33.991
Hexanes, total	PASS	< MRL	290	1.971
Methanol	PASS	< MRL	3000	20.395
Pentanes, total	PASS	< MRL	5000	33.991
Propane	PASS	< MRL	5000	33.991
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	126.652
Toluene	PASS	< MRL	890	6.050
Trichloroethane	PASS	< MRL	1500	61.185
Xylenes, total	PASS	< MRL	2170	14.752

MRL = Minimum reporting limit/limit of quantification

Test ID: #77344 | Date Tested: 10/08/2024 10:12 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: E-KC-MKCB-01-1024 (20241003-CRNA-004)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #77343 | Date Tested: 10/07/2024 01:39 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: E-KC-MKCB-01-1024 (20241003-CRNA-004) PASS				
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010
MRL = Minimum reporting limit/limit of quantification			Test ID: #77342 Date Tested: 10/07/2024 01:39 PM	

Heavy Metals: E-KC-MKCB-01-1024 (20241003-CRNA-004) PASS				
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	1100.0	8.00
Nickel	PASS	1.239	20.0	1.00
Copper	PASS	< MRL	300.0	8.00
Arsenic	PASS	< MRL	1.5	0.10
Cadmium	PASS	< MRL	0.5	0.10
Antimony	PASS	< MRL	120.0	1.00
Mercury	PASS	< MRL	3.0	0.05
Lead	PASS	< MRL	0.5	0.20
MRL = Minimum reporting limit/limit of quantification			Test ID: #77340 Date Tested: 10/07/2024 11:19 AM	

Microbiological Screen: E-KC-MKCB-01-1024 (20241003-CRNA-004) PASS				
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	< MRL	10000	10
Total Yeast & Mold	PASS	< MRL	1000	10
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1
MRL = Minimum reporting limit/limit of quantification			Test ID: #77341 Date Tested: 10/07/2024 09:43 AM	

Water Activity: E-KC-MKCB-01-1024 (20241003-CRNA-004) PASS			
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)			
Analyte	Pass/Fail	Result (a _w)	Limit (a _w)
Water Activity	PASS	0.46	0.85
MRL = Minimum reporting limit/limit of quantification			Test ID: #77346 Date Tested: 10/07/2024 08:54 AM



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09



Matthew Elmes
Lab Director
10/8/2024

Deviations: RSA data associated with a laboratory control standard that was out of specification. Laboratory investigation conducted prior to reporting.

