



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50627003-002


**Cirona Labs**

License # : OCM-PROC-24-000051

350 Buell Road  
Rochester, NY, 14624, US

**PASSED**

Pages 1 of 6

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**PASSED**

Filtration  
**NOT TESTED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

### MISC.


Terpenes  
**TESTED**


### Cannabinoid

**PASSED**


Total THC

**0.1376%**

Total THC/Container : 99.0956 mg



Total CBD

**0.0012%**

Total CBD/Container : 0.8956 mg



Total Cannabinoids

**0.4431%**

Total Cannabinoids/Container : 319.0011 mg

|         | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC    | CBD    | CBDA    | CBDV    | CBG     | D8-THC  | CBGA    | CBN    | D9-THC | THCA    | THCV   |
|---------|---------------------|---------------------|--------|--------|---------|---------|---------|---------|---------|--------|--------|---------|--------|
| %       | <0.0006             | <0.0007             | 0.0025 | 0.0012 | <0.0007 | <0.0007 | 0.2930  | <0.0007 | <0.0007 | 0.0035 | 0.1376 | <0.0007 | 0.0051 |
| mg/unit | <0.432              | <0.504              | 1.822  | 0.893  | <0.504  | <0.504  | 210.982 | <0.504  | <0.504  | 2.520  | 99.094 | <0.504  | 3.694  |
| LOQ     | 0.0006              | 0.0007              | 0.0007 | 0.0007 | 0.0007  | 0.0007  | 0.0007  | 0.0007  | 0.0007  | 0.0007 | 0.0007 | 0.0007  | 0.0007 |
| %       | %                   | %                   | %      | %      | %       | %       | %       | %       | %       | %      | %      | %       | %      |

Weight:  
2.6208g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 06/30/25 14:45:01

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
07/02/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

CM-GM-FS-250623

Matrix : Edible

Type: Gummy



# Certificate of Analysis

**PASSED**

Cirona Labs

350 Buell Road  
Rochester, NY, 14624, US  
Telephone: (305) 498-3066  
Email: hunter@cironalabs.com  
License # : OCM-PROC-24-000051

Sample : AL50627003-002

Batch# : CM-GM-FS-250623  
Sampled : 06/27/25 02:50 PM

Sample Size Received : 4 units

Total Amount : 4800 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 6



## Terpenes

**TESTED**

| Terpenes            | LOQ (%) | Pass/Fail | mg/unit | Result (%) | Terpenes                                           | LOQ (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|----------------------------------------------------|---------|-----------|---------|------------|
| LIMONENE            | 0.00    | TESTED    | 21.600  | 0.0300     | Weight:                                            |         |           |         |            |
| BETA-MYRCENE        | 0.00    | TESTED    | <2.880  | <0.0040    | 1.0229g                                            |         |           |         |            |
| ALPHA-TERPENEOL     | 0.00    | TESTED    | <2.880  | <0.0040    | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY |         |           |         |            |
| BETA-CARYOPHYLLENE  | 0.00    | TESTED    | <2.880  | <0.0040    | Analysis Date : 07/02/25 10:28:05                  |         |           |         |            |
| CAMPHERE            | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| CARYOPHYLLENE OXIDE | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| FARNESENE           | 0.10    | TESTED    | <72.000 | <0.1000    |                                                    |         |           |         |            |
| FENCHYL ALCOHOL     | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| GERANIOL            | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| GUAIOL              | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| LINALOOL            | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| MENTHOL             | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| OCIMENE             | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| TERPINOLENE         | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| VALENCENE           | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| ALPHA-BISABOLOL     | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| ALPHA-HUMULENE      | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| ALPHA-PHELLANDRENE  | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| ALPHA-PINENE        | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| ALPHA-TERPINENE     | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| BETA-PINENE         | 0.00    | TESTED    | <2.880  | <0.0040    |                                                    |         |           |         |            |
| Total (%)           |         |           | <0.1000 |            |                                                    |         |           |         |            |


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
07/02/25



# Certificate of Analysis

**PASSED**

Cirona Labs

 350 Buell Road  
 Rochester, NY, 14624, US  
 Telephone: (305) 498-3066  
 Email: hunter@cironalabs.com  
 License # : OCM-PROC-24-000051

Sample : AL50627003-002

 Batch# : CM-GM-FS-250623  
 Sampled : 06/27/25 02:50 PM

Sample Size Received : 4 units

Total Amount : 4800 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 6



## Pesticides

**PASSED**

| Pesticide             | LOQ    | Units | Action Level | Pass/Fail | Result  | Pesticide                                                             | LOQ    | Units | Action Level | Pass/Fail | Result  |
|-----------------------|--------|-------|--------------|-----------|---------|-----------------------------------------------------------------------|--------|-------|--------------|-----------|---------|
| ACEQUINOXYL           | 0.1000 | ppm   | 2            | PASS      | <0.1000 | OXAMYL                                                                | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| PRALLETHRIN           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PACLOBUTRAZOL                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| PYRETHRINS, TOTAL     | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PERMETHRIN                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZADIRACTIN           | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PHOSMET                                                               | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| INDOLE-3-BUTYRIC ACID | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PROPOCONAZOLE                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| MYCLOBUTANIL          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PROPOXUR                                                              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| PIPERONYL BUTOXIDE    | 0.1000 | ppm   | 2            | PASS      | <0.1000 | PYRIDABEN                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ABAMECTIN B1A         | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 | SPINETORAM, TOTAL                                                     | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| ACEPHATE              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPINOSAD, TOTAL                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACETAMIPRID           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROMESIFEN                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ALDICARB              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPIROTETRAMAT                                                         | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZOXYSTROBIN          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROXAMINE                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORMEQUAT CHLORIDE  | 0.1000 | ppm   | 1            | PASS      | <0.1000 | TEBUCONAZOLE                                                          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| BIFENAZATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIACLOPRID                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| BIFENTHRIN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIAMETHOXAM                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CARBARYL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TRIFLOXYSTROBIN                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| COUMAPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CAPTAN *                                                              | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CHLORPYRIFOS          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORDANE *                                                           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CARBOFURAN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORFENAPYR *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DAMINOZIDE            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CYFLUTHRIN *                                                          | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| BOSCALID              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | CYPERMETHRIN *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DIAZINON              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | METHYL PARATHION *                                                    | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CLOFENTEZINE          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | MGK-264 *                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORANTHANILPROLE    | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PENTACHLORONITROBENZENE *                                             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DICHLORVOS            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| DIMETHOATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| DIMETHOMORPH          | 0.1000 | ppm   | 1            | PASS      | <0.1000 | 0.5299g                                                               |        |       |              |           |         |
| ETHOPROPHOS           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY |        |       |              |           |         |
| ETOFENPROX            | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date : 07/01/25 13:55:44                                     |        |       |              |           |         |
| ETOXAZOLE             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FENHEXAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| FENOXYCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | 0.5299g                                                               |        |       |              |           |         |
| FENPYROXIMATE         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analysis Method : SOP.T.40.154.NY                                     |        |       |              |           |         |
| FIPRONIL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date : 07/01/25 09:08:25                                     |        |       |              |           |         |
| FLONICAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLUDIOXONIL           | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| HEXYTHIAZOX           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMAZALIL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMIDACLOPRID          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| KRESOXIM METHYL       | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MALATHION             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METALAXYL             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHIOCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHOMYL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MEVINPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| NALED                 | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.


**Erica Troy**

Lab Director

 NY Permit # OCM-CPL-2022-00006  
 ISO 17025 Accreditation # 97164



 Signature  
 07/02/25



# Certificate of Analysis

**PASSED**
**Cirona Labs**

 350 Buell Road  
 Rochester, NY, 14624, US  
**Telephone:** (305) 498-3066  
**Email:** hunter@cironalabs.com  
**License # :** OCM-PROC-24-000051

**Sample :** AL50627003-002

**Batch# :** CM-GM-FS-250623

**Sampled :** 06/27/25 02:50 PM

**Sample Size Received :** 4 units

**Total Amount :** 4800 units

**Sampling Method :** SOP.T.20.010.NY

Page 4 of 6




## Residual Solvents

**PASSED**

| Solvents                  | LOQ   | Units | Action Level | Pass/Fail | Result |
|---------------------------|-------|-------|--------------|-----------|--------|
| 1,1,1,2-TETRAFLUOROETHANE | 500.0 | ppm   | 1000         | PASS      | <500.0 |
| DIMETHYL SULFOXIDE        | 375.0 | ppm   | 5000         | PASS      | <375.0 |
| 1,1,1-TRICHLOROETHANE     | 375.0 | ppm   | 1500         | PASS      | <375.0 |
| HEXANE, TOTAL             | 125.0 | ppm   | 290          | PASS      | <125.0 |
| PENTANES, TOTAL           | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BUTANES, TOTAL            | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| XYLENES, TOTAL            | 125.0 | ppm   | 2170         | PASS      | <125.0 |
| 1,2-DICHLOROETHANE        | 1.3   | ppm   | 5            | PASS      | <1.3   |
| PROPANE                   | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| METHANOL                  | 125.0 | ppm   | 3000         | PASS      | <125.0 |
| ETHANOL                   | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ETHYL ETHER               | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONE                   | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| 2-PROPANOL                | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONITRILE              | 125.0 | ppm   | 410          | PASS      | <125.0 |
| DICHLOROMETHANE           | 125.0 | ppm   | 600          | PASS      | <125.0 |
| ETHYL ACETATE             | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BENZENE                   | 1.3   | ppm   | 2            | PASS      | <1.3   |
| N-HEPTANE                 | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| TOLUENE                   | 125.0 | ppm   | 890          | PASS      | <125.0 |
| CHLOROFORM                | 1.3   | ppm   | 60           | PASS      | <1.3   |

**Weight:**  
 0.0211g

**Analysis Method :** SOP.T.40.044.NY  
**Analyzed Date :** 07/02/25 10:51:38



# Certificate of Analysis

**PASSED**
**Cirona Labs**

 350 Buell Road  
 Rochester, NY, 14624, US  
 Telephone: (305) 498-3066  
 Email: hunter@cironalabs.com  
 License # : OCM-PROC-24-000051

Sample : AL50627003-002

Batch# : CM-GM-FS-250623

Sampled : 06/27/25 02:50 PM

Sample Size Received : 4 units

Total Amount : 4800 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 6

|  <b>Microbial</b> <b>PASSED</b>          |     |       |             |             |              |  <b>Mycotoxins</b> <b>PASSED</b> |        |       |         |             |              |
|---------------------------------------------------------------------------------------------------------------------------|-----|-------|-------------|-------------|--------------|-------------------------------------------------------------------------------------------------------------------|--------|-------|---------|-------------|--------------|
| Analyte                                                                                                                   | LOQ | Units | Result      | Pass / Fail | Action Level | Analyte                                                                                                           | LOQ    | Units | Result  | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA                                                                                                    | 100 | CFU/g | <100        | PASS        | 10000        | AFLATOXIN G2                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| TOTAL YEAST AND MOLD                                                                                                      | 100 | CFU/g | <100        | PASS        | 1000         | AFLATOXIN G1                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ESCHERICHIA COLI SHIGELLA SPP                                                                                             | 1   |       | Not Present | PASS        |              | AFLATOXIN B2                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| SALMONELLA SPECIES                                                                                                        | 1   |       | Not Present | PASS        |              | AFLATOXIN B1                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS TERREUS                                                                                                       | 1   |       | Not Present | PASS        |              | OCHRATOXIN A+                                                                                                     | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS NIGER                                                                                                         | 1   |       | Not Present | PASS        |              | TOTAL AFLATOXINS (B1, B2, G1, G2)                                                                                 | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS FLAVUS                                                                                                        | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| ASPERGILLUS FUMIGATUS                                                                                                     | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| Weight:<br>0.9904g                                                                                                        |     |       |             |             |              | Weight:<br>0.5299g                                                                                                |        |       |         |             |              |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY<br>Analyzed Date : 06/30/25 09:52:32 |     |       |             |             |              | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY<br>Analyzed Date : 07/01/25 13:47:41                           |        |       |         |             |              |

|  <b>Heavy Metals</b> <b>PASSED</b> |        |       |         |             |              |
|-----------------------------------------------------------------------------------------------------------------------|--------|-------|---------|-------------|--------------|
| Metal                                                                                                                 | LOQ    | Units | Result  | Pass / Fail | Action Level |
| ANTIMONY                                                                                                              | 0.1000 | ug/g  | <0.1000 | PASS        | 120          |
| ARSENIC                                                                                                               | 0.1000 | ug/g  | <0.1000 | PASS        | 1.5          |
| CADMIUM                                                                                                               | 0.1000 | ug/g  | <0.1000 | PASS        | 0.5          |
| CHROMIUM                                                                                                              | 1.0000 | ug/g  | <1.0000 | PASS        | 1100         |
| COPPER                                                                                                                | 1.0000 | ug/g  | <1.0000 | PASS        | 300          |
| LEAD                                                                                                                  | 0.1000 | ug/g  | <0.1000 | PASS        | 0.5          |
| MERCURY                                                                                                               | 0.0100 | ug/g  | <0.0100 | PASS        | 3            |
| NICKEL                                                                                                                | 0.1000 | ug/g  | <0.1000 | PASS        | 20           |
| Weight:<br>0.4979g                                                                                                    |        |       |         |             |              |
| Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY<br>Analyzed Date : 06/30/25 12:19:10                               |        |       |         |             |              |




1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

CM-GM-FS-250623

Matrix : Edible

Type: Gummy



# Certificate of Analysis

**PASSED**

Cirona Labs

350 Buell Road

Rochester, NY, 14624, US

Telephone: (305) 498-3066

Email: hunter@cironalabs.com

License # : OCM-PROC-24-000051

Sample : AL50627003-002

Batch# : CM-GM-FS-250623

Sampled : 06/27/25 02:50 PM

Sample Size Received : 4 units

Total Amount : 4800 units

Sampling Method : SOP.T.20.010.NY

Page 6 of 6

|  |                       |               |
|--|-----------------------|---------------|
|  | <b>Water Activity</b> | <b>PASSED</b> |
|--|-----------------------|---------------|

| Analyte        | LOQ  | Units | Result | P/F  | Action Level |
|----------------|------|-------|--------|------|--------------|
| Water Activity | 0.10 | aw    | 0.74   | PASS | 0.85         |

Weight:  
1.8019g

Analysis Method : SOP.T.40.019

Analyzed Date : 06/27/25 15:26:37

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
07/02/25