



Certificate of Analysis

Pages 1 of 5

FOR COMPLIANCE

PASSED



Batch #: CM-GMS-TB-250906
Production Method: Pectin
Total Amount: 4800 units
Retail Product Size: 39 gram
Retail Serving Size: 3.9 gram
Servings: 10

Lab ID: AL50909002-002
Sampled Date: 09/09/25
Sample Collection Time: 02:00 PM
Sampling End: 02:30 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 4 units
Completed: 09/11/25

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
NOT TESTED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Vitamin E
NOT TESTED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
0.2687%

Total THC/Container : 104.7966 mg



Total CBD
0.0014%

Total CBD/Container : 0.5543 mg



Total Cannabinoids
0.4194%

Total Cannabinoids/Container :
163.5799 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.0006	<0.0007	0.0032	0.0014	<0.0007	<0.0007	0.0132	<0.0007	<0.0007	0.0052	0.2661	0.0030	0.1273
mg/unit	<0.234	<0.273	1.2568	0.5543	<0.273	<0.273	5.1358	<0.273	<0.273	2.0342	103.7673	1.1737	49.6578
LOD	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
LOQ	%	%	%	%	%	%	%	%	%	%	%	%	%
Qualifier													

Weight:
2.8735g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 09/10/25 08:34:54

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/11/25



Certificate of Analysis

Pages 2 of 5

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

Sample: AL50909002-002

Batch #: CM-GMS-TB-250906

Ordered: 09/09/25
Sampled: 09/09/25
Completed: 09/11/25

PASSED



Label Claim Verification

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Weight:

Analysis Method : N/A

Analyzed Date : 09/10/25 08:38:01



Terpenes

TESTED

ANALYTES

LOD LOQ LIMIT PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER

ALPHA TERPINEOL	-1	0.004	TESTED	<0.004	<1.56	
BETA-CARYOPHYLLENE	-1	0.004	TESTED	<0.004	<1.56	
CAMPHENE	-1	0.004	TESTED	<0.004	<1.56	
CARYOPHYLLENE OXIDE	-1	0.004	TESTED	<0.004	<1.56	
FARNESENE	-1	0.1	TESTED	<0.1	<39	
FENCHYL ALCOHOL	-1	0.004	TESTED	<0.004	<1.56	
GERANIOL	-1	0.004	TESTED	<0.004	<1.56	
GUAJOL	-1	0.004	TESTED	<0.004	<1.56	
LIMONENE	-1	0.004	TESTED	<0.004	<1.56	
LINALOOL	-1	0.004	TESTED	<0.004	<1.56	
MENTHOL	-1	0.004	TESTED	<0.004	<1.56	
OCIMENE	-1	0.004	TESTED	<0.004	<1.56	
TERPINOLENE	-1	0.004	TESTED	<0.004	<1.56	
VALENCENE	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-BISABOLOL	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-HUMULENE	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-PHELLANDRENE	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-PINENE	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-TERPINENE	-1	0.004	TESTED	<0.004	<1.56	
BETA-MYRCENE	-1	0.004	TESTED	<0.004	<1.56	
BETA-PINENE	-1	0.004	TESTED	<0.004	<1.56	
TOTAL TERPENES	-1	0.1	TESTED	<0.1	<39	

Weight:

1.1851g

Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY

Analyzed Date : 09/10/25 13:55:58



Pesticide

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

PRALLETHRIN	ppm	-1	0.1	0.2	PASS	<0.1	
ACEQUINOCYL	ppm	-1	0.1	2	PASS	<0.1	
PYRETHRINS, TOTAL	ppm	-1	0.1	1	PASS	<0.1	
AZADIRACTIN	ppm	-1	0.1	1	PASS	<0.1	
INDOLE-3-BUTYRIC ACID	ppm	-1	0.1	1	PASS	<0.1	
MYCLOBUTANIL	ppm	-1	0.1	0.2	PASS	<0.1	
PIPERONYL BUTOXIDE	ppm	-1	0.1	2	PASS	<0.1	
ABAMECTIN B1A	ppm	-1	0.1	0.5	PASS	<0.1	
ACEPHATE	ppm	-1	0.1	0.4	PASS	<0.1	
ACETAMIPRID	ppm	-1	0.1	0.2	PASS	<0.1	
ALDICARB	ppm	-1	0.1	0.4	PASS	<0.1	
AZOXYSTROBIN	ppm	-1	0.1	0.2	PASS	<0.1	
CHLORMEQUAT CHLORIDE	ppm	-1	0.1	1	PASS	<0.1	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/11/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
TROPICAL BURST
Matrix: Edible
Classification: Unknown
Type: Gummy



Certificate of Analysis

Pages 3 of 5

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

Sample: AL50909002-002

Batch #: CM-GMS-TB-250906

Ordered: 09/09/25
Sampled: 09/09/25
Completed: 09/11/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
BIFENAZATE	ppm	-1	0.1	0.2	PASS	<0.1	
BIFENTHRIN	ppm	-1	0.1	0.2	PASS	<0.1	
CARBARYL	ppm	-1	0.1	0.2	PASS	<0.1	
CHLORPYRIFOS	ppm	-1	0.1	0.2	PASS	<0.1	
COUMAPHOS	ppm	-1	0.1	1	PASS	<0.1	
DAMINOZIDE	ppm	-1	0.1	1	PASS	<0.1	
CARBOFURAN	ppm	-1	0.1	0.2	PASS	<0.1	
BOSCALID	ppm	-1	0.1	0.4	PASS	<0.1	
CHLORANTRANILIPROLE	ppm	-1	0.1	0.2	PASS	<0.1	
DIAZINON	ppm	-1	0.1	0.2	PASS	<0.1	
CLOFENTEZINE	ppm	-1	0.1	0.2	PASS	<0.1	
DICHLORVOS	ppm	-1	0.1	1	PASS	<0.1	
DIMETHOATE	ppm	-1	0.1	0.2	PASS	<0.1	
DIMETHOMORPH	ppm	-1	0.1	1	PASS	<0.1	
ETHOPROPHOS	ppm	-1	0.1	0.2	PASS	<0.1	
ETOFENPROX	ppm	-1	0.1	0.4	PASS	<0.1	
ETOXAZOLE	ppm	-1	0.1	0.2	PASS	<0.1	
FENHEXAMID	ppm	-1	0.1	1	PASS	<0.1	
FENOXYCARB	ppm	-1	0.1	0.2	PASS	<0.1	
FENPYROXIMATE	ppm	-1	0.1	0.4	PASS	<0.1	
FIPRONIL	ppm	-1	0.1	0.4	PASS	<0.1	
FLONICAMID	ppm	-1	0.1	1	PASS	<0.1	
FLUDIOXONIL	ppm	-1	0.1	0.4	PASS	<0.1	
HEXYTHIAZOX	ppm	-1	0.1	1	PASS	<0.1	
IMAZALIL	ppm	-1	0.1	0.2	PASS	<0.1	
IMIDACLOPRID	ppm	-1	0.1	0.4	PASS	<0.1	
KRESOXIM METHYL	ppm	-1	0.1	0.4	PASS	<0.1	
MALATHION	ppm	-1	0.1	0.2	PASS	<0.1	
METALAXYL	ppm	-1	0.1	0.2	PASS	<0.1	
METHIOCARB	ppm	-1	0.1	0.2	PASS	<0.1	
METHOMYL	ppm	-1	0.1	0.4	PASS	<0.1	
MEVINPHOS	ppm	-1	0.1	1	PASS	<0.1	
NALED	ppm	-1	0.1	0.5	PASS	<0.1	
OXAMYL	ppm	-1	0.1	1	PASS	<0.1	
PACLOBUTRAZOL	ppm	-1	0.1	0.4	PASS	<0.1	
PERMETHRIN	ppm	-1	0.1	0.2	PASS	<0.1	
PHOSMET	ppm	-1	0.1	0.2	PASS	<0.1	
PROPICONAZOLE	ppm	-1	0.1	0.4	PASS	<0.1	
PROPOXUR	ppm	-1	0.1	0.2	PASS	<0.1	
PYRIDABEN	ppm	-1	0.1	0.2	PASS	<0.1	
SPINETORAM, TOTAL	ppm	-1	0.1	1	PASS	<0.1	
SPINOSAD, TOTAL	ppm	-1	0.1	0.2	PASS	<0.1	
SPIROMESIFEN	ppm	-1	0.1	0.2	PASS	<0.1	
SPIROTETRAMAT	ppm	-1	0.1	0.2	PASS	<0.1	
SPIROXAMINE	ppm	-1	0.1	0.2	PASS	<0.1	
TEBUCONAZOLE	ppm	-1	0.1	0.4	PASS	<0.1	
THIACLOPRID	ppm	-1	0.1	0.2	PASS	<0.1	
THIAMETHOXAM	ppm	-1	0.1	0.2	PASS	<0.1	
TRIFLOXYSTROBIN	ppm	-1	0.1	0.2	PASS	<0.1	
CAPTAN	ppm	-1	0.1	1	PASS	<0.1	
CHLORDANE	ppm	-1	0.1	1	PASS	<0.1	
CHLORFENAPYR	ppm	-1	0.1	1	PASS	<0.1	
CYFLUTHRIN	ppm	-1	0.1	1	PASS	<0.1	
CYPERMETHRIN	ppm	-1	0.1	1	PASS	<0.1	
METHYL PARATHION	ppm	-1	0.1	0.2	PASS	<0.1	
MGK-264	ppm	-1	0.1	0.2	PASS	<0.1	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
09/11/25



Certificate of Analysis

Pages 4 of 5

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

Sample: AL50909002-002

Batch #: CM-GMS-TB-250906

Ordered: 09/09/25
Sampled: 09/09/25
Completed: 09/11/25

PASSED

Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
----------	------	-----	-----	-------	-----------	--------	-----------

PENTACHLORONITROBENZENE

ppm -1 0.1 1 PASS <0.1

Weight:
0.4979g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analyzed Date : 09/10/25 10:22:39

Weight:
0.4979g

Analysis Method : SOP.T.40.154.NY
Analyzed Date : 09/10/25 10:56:05

Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
PENTANES, TOTAL	ppm	-1	125	5000	PASS	<125	
HEXANE, TOTAL	ppm	-1	125	290	PASS	<125	
1,1,1-TRICHLOROETHANE	ppm	-1	375	1500	PASS	<375	
DIMETHYL SULFOXIDE	ppm	-1	375	5000	PASS	<375	
1,1,1,2-TETRAFLUOROETHANE	ppm	-1	500	1000	PASS	<500	
XYLENES, TOTAL	ppm	-1	125	2170	PASS	<125	
BUTANES, TOTAL	ppm	-1	750	5000	PASS	<750	
PROPANE	ppm	-1	750	5000	PASS	<750	
1,2-DICHLOROETHANE	ppm	-1	1.25	5	PASS	<1.25	
METHANOL	ppm	-1	125	3000	PASS	<125	
ETHANOL	ppm	-1	125	5000	PASS	224.0	
ETHYL ETHER	ppm	-1	125	5000	PASS	<125	
ACETONE	ppm	-1	125	5000	PASS	<125	
2-PROPANOL	ppm	-1	125	5000	PASS	<125	
ACETONITRILE	ppm	-1	125	410	PASS	<125	
DICHLOROMETHANE	ppm	-1	125	600	PASS	<125	
ETHYL ACETATE	ppm	-1	125	5000	PASS	<125	
BENZENE	ppm	-1	1.25	2	PASS	<1.25	
N-HEPTANE	ppm	-1	125	5000	PASS	<125	
TOLUENE	ppm	-1	125	890	PASS	<125	
CHLOROFORM	ppm	-1	1.25	60	PASS	<1.25	

Weight:
0.0223g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 09/11/25 08:23:19

Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AEROBIC BACTERIA	CFU/g	-1	100	10000	PASS	<100	
TOTAL YEAST AND MOLD	CFU/g	-1	100	1000	PASS	<100	
ESCHERICHIA COLI/SHIGELLA SPP.					PASS	Not Present	
SALMONELLA SPECIES					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
ASPERGILLUS FLAVUS					PASS	Not Present	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/11/25



Certificate of Analysis

Pages 5 of 5

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

Sample: AL50909002-002

Batch #: CM-GMS-TB-250906

Ordered: 09/09/25
Sampled: 09/09/25
Completed: 09/11/25

PASSED



Microbial

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

ASPERGILLUS FUMIGATUS

PASS Not Present

Weight:
1.13g

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY
Analyzed Date : 09/11/25 14:56:55



Mycotoxins

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

TOTAL AFLATOXINS (B1, B2, G1, G2)

ppm -1 0.01 0.02 PASS <0.01

AFLATOXIN G2

ppm -1 0.01 0.02 PASS <0.01

AFLATOXIN G1

ppm -1 0.01 0.02 PASS <0.01

AFLATOXIN B2

ppm -1 0.01 0.02 PASS <0.01

AFLATOXIN B1

ppm -1 0.01 0.02 PASS <0.01

OCHRATOXIN A+

ppm -1 0.01 0.02 PASS <0.01

Weight:
0.4979g

Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY
Analyzed Date : 09/10/25 10:17:39



Water Activity

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

WATER ACTIVITY

aw 0.1 0.1 0.85 PASS 0.65

Weight:
1.0692g

Analysis Method : SOP.T.40.019
Analyzed Date : 09/09/25 14:53:30



Heavy Metals

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

ANTIMONY

ug/g -1 0.1 120 PASS <0.1

ARSENIC

ug/g -1 0.1 1.5 PASS <0.1

CADMIUM

ug/g -1 0.1 0.5 PASS <0.1

CHROMIUM

ug/g -1 1 1100 PASS <1

COPPER

ug/g -1 1 300 PASS <1

LEAD

ug/g -1 0.1 0.5 PASS <0.1

MERCURY

ug/g -1 0.01 3 PASS <0.01

NICKEL

ug/g -1 0.1 20 PASS <0.1

Weight:
0.5228g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY
Analyzed Date : 09/10/25 09:59:20

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/11/25