



Certificate of Analysis

Pages 1 of 5

FOR COMPLIANCE

PASSED



Batch #: GM-GMS-WS-250923
Production Method: Pectin
Total Amount: 7200 units
Retail Product Size: 39 gram
Retail Serving Size: 3.9 gram
Servings: 10

Lab ID: AL50925007-001
Sampled Date: 09/25/25
Sample Collection Time: 02:15 PM
Sampling End: 02:50 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 4 units
Completed: 09/29/25

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
NOT TESTED



Water Activity
PASSED



Moisture Content
NOT TESTED



Vitamin E
NOT TESTED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
0.2604%
Total THC : 101.5617 mg



Total CBD
0.0051%
Total CBD : 1.9781 mg



Total Cannabinoids
0.2863%
Total Cannabinoids/Container :
111.6548 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.0006	<0.0007	<0.0007	0.0051	<0.0007	<0.0007	0.0061	<0.0007	<0.0007	0.0117	0.2604	<0.0007	0.0030
mg/unit	<0.234	<0.273	<0.273	1.9781	<0.273	<0.273	2.3865	<0.273	<0.273	4.5478	101.5617	<0.273	1.1807
LOD	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
LOQ	%	%	%	%	%	%	%	%	%	%	%	%	%
Qualifier													

Weight:
2.9716g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 09/26/25 08:31:04

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/29/25



Certificate of Analysis

Pages 2 of 5

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

Sample: AL50925007-001

Batch #: GM-GMS-WS-250923

Ordered: 09/25/25
Sampled: 09/25/25
Completed: 09/29/25

PASSED



Label Claim Verification

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Weight:

Analysis Method : N/A

Analyzed Date : 09/26/25 09:06:54



Terpenes

TESTED

ANALYTES

LOD LOQ LIMIT PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER

ALPHA TERPINEOL	-1	0.004	TESTED	<0.004	<1.56	
BETA-CARYOPHYLLENE	-1	0.004	TESTED	<0.004	<1.56	
CAMPHENE	-1	0.004	TESTED	<0.004	<1.56	
CARYOPHYLLENE OXIDE	-1	0.004	TESTED	<0.004	<1.56	
FARNESENE	-1	0.1	TESTED	<0.1	<39	
FENCHYL ALCOHOL	-1	0.004	TESTED	<0.004	<1.56	
GERANIOL	-1	0.004	TESTED	<0.004	<1.56	
GUAJOL	-1	0.004	TESTED	<0.004	<1.56	
LIMONENE	-1	0.004	TESTED	<0.004	<1.56	
LINALOOL	-1	0.004	TESTED	<0.004	<1.56	
MENTHOL	-1	0.004	TESTED	<0.004	<1.56	
OCIMENE	-1	0.004	TESTED	<0.004	<1.56	
TERPINOLENE	-1	0.004	TESTED	<0.004	<1.56	
VALENCENE	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-BISABOLOL	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-HUMULENE	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-PHELLANDRENE	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-PINENE	-1	0.004	TESTED	<0.004	<1.56	
ALPHA-TERPINENE	-1	0.004	TESTED	<0.004	<1.56	
BETA-MYRCENE	-1	0.004	TESTED	<0.004	<1.56	
BETA-PINENE	-1	0.004	TESTED	<0.004	<1.56	
TOTAL TERPENES	-1	0.1	TESTED	<0.1	<39	

Weight:

1.0771g

Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY

Analyzed Date : 09/26/25 09:03:40



Pesticide

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

PRALLETHRIN	ppm	-1	0.1	0.2	PASS	<0.1	
ACEQUINOCYL	ppm	-1	0.1	2	PASS	<0.1	
PYRETHRINS, TOTAL	ppm	-1	0.1	1	PASS	<0.1	
AZADIRACTIN	ppm	-1	0.1	1	PASS	<0.1	
INDOLE-3-BUTYRIC ACID	ppm	-1	0.1	1	PASS	<0.1	
MYCLOBUTANIL	ppm	-1	0.1	0.2	PASS	<0.1	
PIPERONYL BUTOXIDE	ppm	-1	0.1	2	PASS	<0.1	
ABAMECTIN B1A	ppm	-1	0.1	0.5	PASS	<0.1	
ACEPHATE	ppm	-1	0.1	0.4	PASS	<0.1	
ACETAMIPRID	ppm	-1	0.1	0.2	PASS	<0.1	
ALDICARB	ppm	-1	0.1	0.4	PASS	<0.1	
AZOXYSTROBIN	ppm	-1	0.1	0.2	PASS	<0.1	
CHLORMEQUAT CHLORIDE	ppm	-1	0.1	1	PASS	<0.1	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/29/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
.....
WATERMELON SPRITZ
Matrix: Edible
Classification: Unknown
Type: Gummy



Certificate of Analysis

Pages 3 of 5

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

Sample: AL50925007-001

Batch #: GM-GMS-WS-250923

Ordered: 09/25/25
Sampled: 09/25/25
Completed: 09/29/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
BIFENAZATE	ppm	-1	0.1	0.2	PASS	<0.1	
BIFENTHRIN	ppm	-1	0.1	0.2	PASS	<0.1	
CARBARYL	ppm	-1	0.1	0.2	PASS	<0.1	
CHLORPYRIFOS	ppm	-1	0.1	0.2	PASS	<0.1	
COUMAPHOS	ppm	-1	0.1	1	PASS	<0.1	
DAMINOZIDE	ppm	-1	0.1	1	PASS	<0.1	
CARBOFURAN	ppm	-1	0.1	0.2	PASS	<0.1	
BOSCALID	ppm	-1	0.1	0.4	PASS	<0.1	
CHLORANTRANILIPROLE	ppm	-1	0.1	0.2	PASS	<0.1	
DIAZINON	ppm	-1	0.1	0.2	PASS	<0.1	
CLOFENTEZINE	ppm	-1	0.1	0.2	PASS	<0.1	
DICHLORVOS	ppm	-1	0.1	1	PASS	<0.1	
DIMETHOATE	ppm	-1	0.1	0.2	PASS	<0.1	
DIMETHOMORPH	ppm	-1	0.1	1	PASS	<0.1	
ETHOPROPHOS	ppm	-1	0.1	0.2	PASS	<0.1	
ETOFENPROX	ppm	-1	0.1	0.4	PASS	<0.1	
ETOXAZOLE	ppm	-1	0.1	0.2	PASS	<0.1	
FENHEXAMID	ppm	-1	0.1	1	PASS	<0.1	
FENOXYCARB	ppm	-1	0.1	0.2	PASS	<0.1	
FENPYROXIMATE	ppm	-1	0.1	0.4	PASS	<0.1	
FIPRONIL	ppm	-1	0.1	0.4	PASS	<0.1	
FLONICAMID	ppm	-1	0.1	1	PASS	<0.1	
FLUDIOXONIL	ppm	-1	0.1	0.4	PASS	<0.1	
HEXYTHIAZOX	ppm	-1	0.1	1	PASS	<0.1	
IMAZALIL	ppm	-1	0.1	0.2	PASS	<0.1	
IMIDACLOPRID	ppm	-1	0.1	0.4	PASS	<0.1	
KRESOXIM METHYL	ppm	-1	0.1	0.4	PASS	<0.1	
MALATHION	ppm	-1	0.1	0.2	PASS	<0.1	
METALAXYL	ppm	-1	0.1	0.2	PASS	<0.1	
METHIOCARB	ppm	-1	0.1	0.2	PASS	<0.1	
METHOMYL	ppm	-1	0.1	0.4	PASS	<0.1	
MEVINPHOS	ppm	-1	0.1	1	PASS	<0.1	
NALED	ppm	-1	0.1	0.5	PASS	<0.1	
OXAMYL	ppm	-1	0.1	1	PASS	<0.1	
PACLOBUTRAZOL	ppm	-1	0.1	0.4	PASS	<0.1	
PERMETHRIN	ppm	-1	0.1	0.2	PASS	<0.1	
PHOSMET	ppm	-1	0.1	0.2	PASS	<0.1	
PROPICONAZOLE	ppm	-1	0.1	0.4	PASS	<0.1	
PROPOXUR	ppm	-1	0.1	0.2	PASS	<0.1	
PYRIDABEN	ppm	-1	0.1	0.2	PASS	<0.1	
SPINETORAM, TOTAL	ppm	-1	0.1	1	PASS	<0.1	
SPINOSAD, TOTAL	ppm	-1	0.1	0.2	PASS	<0.1	
SPIROMESIFEN	ppm	-1	0.1	0.2	PASS	<0.1	
SPIROTETRAMAT	ppm	-1	0.1	0.2	PASS	<0.1	
SPIROXAMINE	ppm	-1	0.1	0.2	PASS	<0.1	
TEBUCONAZOLE	ppm	-1	0.1	0.4	PASS	<0.1	
THIACLOPRID	ppm	-1	0.1	0.2	PASS	<0.1	
THIAMETHOXAM	ppm	-1	0.1	0.2	PASS	<0.1	
TRIFLOXYSTROBIN	ppm	-1	0.1	0.2	PASS	<0.1	
CAPTAN	ppm	-1	0.1	1	PASS	<0.1	
CHLORDANE	ppm	-1	0.1	1	PASS	<0.1	
CHLORFENAPYR	ppm	-1	0.1	1	PASS	<0.1	
CYFLUTHRIN	ppm	-1	0.1	1	PASS	<0.1	
CYPERMETHRIN	ppm	-1	0.1	1	PASS	<0.1	
METHYL PARATHION	ppm	-1	0.1	0.2	PASS	<0.1	
MGK-264	ppm	-1	0.1	0.2	PASS	<0.1	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
09/29/25



Certificate of Analysis

Pages 4 of 5

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

Sample: AL50925007-001

Batch #: GM-GMS-WS-250923

Ordered: 09/25/25
Sampled: 09/25/25
Completed: 09/29/25

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
----------	------	-----	-----	-------	-----------	--------	-----------

PENTACHLORONITROBENZENE

ppm -1 0.1 1 **PASS** <0.1

Weight:
0.5365g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analyzed Date : 09/26/25 15:23:48

Weight:
0.5365g

Analysis Method : SOP.T.40.154.NY
Analyzed Date : 09/29/25 10:19:06



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
----------	------	-----	-----	-------	-----------	--------	-----------

PENTANES, TOTAL

ppm -1 125 5000 **PASS** <125

HEXANE, TOTAL

ppm -1 125 290 **PASS** <125

1,1,1-TRICHLOROETHANE

ppm -1 375 1500 **PASS** <375

DIMETHYL SULFOXIDE

ppm -1 375 5000 **PASS** <375

1,1,1,2-TETRAFLUOROETHANE

ppm -1 500 1000 **PASS** <500

XYLENES, TOTAL

ppm -1 125 2170 **PASS** <125

BUTANES, TOTAL

ppm -1 750 5000 **PASS** <750

PROPANE

ppm -1 750 5000 **PASS** <750

1,2-DICHLOROETHANE

ppm -1 1.25 5 **PASS** <1.25

METHANOL

ppm -1 125 3000 **PASS** <125

ETHANOL

ppm -1 125 5000 **PASS** 432.8

ETHYL ETHER

ppm -1 125 5000 **PASS** <125

ACETONE

ppm -1 125 5000 **PASS** <125

2-PROPANOL

ppm -1 125 5000 **PASS** <125

ACETONITRILE

ppm -1 125 410 **PASS** <125

DICHLOROMETHANE

ppm -1 125 600 **PASS** <125

ETHYL ACETATE

ppm -1 125 5000 **PASS** <125

BENZENE

ppm -1 1.25 2 **PASS** <1.25

N-HEPTANE

ppm -1 125 5000 **PASS** <125

TOLUENE

ppm -1 125 890 **PASS** <125

CHLOROFORM

ppm -1 1.25 60 **PASS** <1.25

Weight:
0.0299g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 09/29/25 08:55:37



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
----------	------	-----	-----	-------	-----------	--------	-----------

TOTAL AEROBIC BACTERIA

CFU/g -1 100 10000 **PASS** <100

TOTAL YEAST AND MOLD

CFU/g -1 100 1000 **PASS** <100

ESCHERICHIA COLI/SHIGELLA SPP.

PASS Not Present

SALMONELLA SPECIES

PASS Not Present

ASPERGILLUS TERREUS

PASS Not Present

ASPERGILLUS NIGER

PASS Not Present

ASPERGILLUS FLAVUS

PASS Not Present

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/29/25



Certificate of Analysis

Pages 5 of 5

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
License # : OCM-PROC-24-000051

Sample: AL50925007-001

Batch #: GM-GMS-WS-250923

Ordered: 09/25/25
Sampled: 09/25/25
Completed: 09/29/25

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FUMIGATUS					PASS	Not Present	
Weight: 1.1169g							
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY Analyzed Date : 09/29/25 08:13:56							



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AFLATOXINS (B1, B2, G1, G2)	ppm	-1	0.01	0.02	PASS	<0.01	
AFLATOXIN G2	ppm	-1	0.01	0.02	PASS	<0.01	
AFLATOXIN G1	ppm	-1	0.01	0.02	PASS	<0.01	
AFLATOXIN B2	ppm	-1	0.01	0.02	PASS	<0.01	
AFLATOXIN B1	ppm	-1	0.01	0.02	PASS	<0.01	
OCHRATOXIN A+	ppm	-1	0.01	0.02	PASS	<0.01	
Weight: 0.5365g							
Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 09/26/25 15:29:02							



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.1	0.1	0.85	PASS	0.70	
Weight: 1.775g							
Analysis Method : SOP.T.40.019 Analyzed Date : 09/26/25 12:21:43							



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ANTIMONY	ug/g	-1	0.1	120	PASS	<0.1	
ARSENIC	ug/g	-1	0.1	1.5	PASS	<0.1	
CADMIUM	ug/g	-1	0.1	0.5	PASS	<0.1	
CHROMIUM	ug/g	-1	1	1100	PASS	<1	
COPPER	ug/g	-1	1	300	PASS	<1	
LEAD	ug/g	-1	0.1	0.5	PASS	<0.1	
MERCURY	ug/g	-1	0.01	3	PASS	<0.01	
NICKEL	ug/g	-1	0.1	20	PASS	<0.1	
Weight: 0.456g							
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 09/26/25 11:39:25							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
09/29/25